



ADDENDUM 3

DATE: 22th February, 2022

TENDER NO: IEBC/OT/22/027/2021-2022-

Supply and Delivery of KIEMS Network for 2022 General Election

Pursuant to section 75(1) of the Public Procurement and Assets Disposal Act, 2015 the Commission hereby makes a clarification of the above tender as follows: -

QUERY	RESPONSE
Sim Cards capacities for the Diaspora	50 Mb data bundles without expiry
<p>Clarify/advise whether the sample forms below are applicable to this bid as MNOS are not Construction firms in our letter dated 7th Feb 2022 vide Ref: SAF/EBU/ IEBC/OT/022/27/2022 /VOL.01</p> <ul style="list-style-type: none"> • Average Annual Construction Turnover page 52. • FORM EXP- 4.1 General Construction Experience page 54. • FORM EXP - 4.2 (a) -Specific Construction and Contract Management Experience page 55. • FORMEXP- 4.2(b) - Construction Experience in Key Activities page 56. 	<p>These are Standard Tender Documents developed by the Regulator, and are not to be altered by any means.</p> <p>Please fill the Forms relevant to your bid. However, do not leave any form blank; just indicate "not applicable to this bid" on forms not relevant.</p>
GPS co-ordinates for 27,241 polling centres and Precision of the GPS coordinates.	<ul style="list-style-type: none"> • In the last meeting with CA, the Commission requested to be provided with the names of the outlier polling centres (Uganda, Ethiopia and Somalia). The Commission will collect the GPS –co-ordinates again for the affected outlier polling centres in an ongoing exercise. • The Commission has provided the MNOs with GPS co-ordinates for 24,594 polling centres. The exercise for collecting the remaining 2897 polling centres is currently ongoing.
For Lot 2 Satellite services , you requested for a 1GB point to point link to both data center 1 and 2 , is this a dedicated lease line to both data center from satellite gateway ?	<ul style="list-style-type: none"> • For local companies they can provide physical point to point links from their core networks to IEBC Data Center core network. For International companies, they shall provide a minimum of 100Mbps bandwidth burstable to 1GBPS IPSEC VPN to IEBC data Center.
If yes , based on the tender requirement , 1Gb is really high and will cost IEBC a lot , based on system design and recommendation a 50MB lease line link	<ul style="list-style-type: none"> • The minimum of 100Mbps bandwidth burstable to 1GBPS IPSEC VPN to IEBC data Center Point to point link was

